



LANDSAT

For over four decades, Landsat satellites have captured images of Earth.

Landsat satellites sweep around our planet continuously, collecting hundreds of scenes every day. Typically, two Landsat satellites are in orbit at a time, working as a team.

Landsat satellites have observed Earth's surface since the 1970s, creating a vast historical record of changes to the planet, from expanding cities to shrinking glaciers.

Landsat's data is important for water and land management, observing the health of ecosystems, and tracking the impacts of climate change. It has been used to monitor forest fires, analyze the health of crops, give advance warnings of floods, locate groundwater in drought-stricken regions, and much more.

Landsat is a joint initiative between NASA and the United States Geological Survey.

landsat.gsfc.nasa.gov

Lanta Glacier in the Swiss Alps (1989): In this falsecolor 1989 Landsat 5 image, snow and ice appear turquoise, liquid water is dark blue, and exposed land and vegetation is brown and green. Over the course of 28 years, Landsat has observed the Lanta glacier shrinking. Records indicate that 150 years ago, it was three times larger than it is today.

Card 1 of 2. Full image and more info: https://landsat.visibleearth.nasa.gov/view.php?id=144760





LANDSAT9

Landsat 9 is the next Landsat observatory, part of a project spanning more than 40 years and multiple observatories.

Targeted to launch in 2020, Landsat 9 will capture images of Earth's surface from 438 miles (704 km) above the planet's surface. The observatory will continuously collect data while completing an orbit of Earth every 90 minutes, creating a record of natural and human-made changes to the planet.

Landsat 9 carries two science instruments:

- OLI-2 looks at white light broken into colors. These
 colors reveal information about what's happening
 on Earth. OLI-2 also sees certain types of infrared
 radiation. The instrument is so precise that it can show
 whether crops are thriving or suffering from drought.
- TIRS-2 is Landsat's heat-viewing infrared instrument. It can be used to observe wildfires, study active volcanoes, and monitor "evapotranspiration," or water evaporating into the air.

Landsat 9 data will be used to make decisions about land and water management, monitor climate change, observe urban growth, and more.

landsat.gsfc.nasa.gov/landsat-9

Lanta Glacier in the Swiss Alps (1989):
In this false-color 1989 Landsat 5 image,
snow and ice appear turquoise, liquid
water is dark blue, and exposed land
and vegetation is brown and green. Over
the course of 28 years, Landsat has observed t



the course of 28 years, Landsat has observed the Lanta glacier shrinking. Records indicate that 150 years ago, it was three times larger than it is today.

Card 2 of 2. Full image and more info: https://landsat.visibleearth.nasa.gov/view.php?id=144760